



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

*cu*

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,733	01/10/2002	Joseph Mazzochette	14123-3	6575

7590 08/22/2003

GLEN E. BOOKS, ESQ.  
LOWENSTEIN SANDLER PC  
65 LIVINGSTON AVENUE  
ROSELAND, NJ 07068

EXAMINER

EASTHOM, KARL D

ART UNIT PAPER NUMBER

2832

DATE MAILED: 08/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/043,733

Applicant(s)

MAZZOCHETTE, JOSEPH *CW*

Examiner

Karl D Easthom

Art Unit

2832

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 01 July 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) 9 and 10 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 2832

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Greuter et al.

Greuter discloses the claimed invention at Figs. 8 or 9-10 where resistors 41, 4 are thermistors embedded in the substrates 51, 5 with metallization 1. The body 5 may be ceramic, as noted at col. 5, lines 39-49 and col. 7, lines 45-50, meeting claim 2. In claim 3, the bodies 4 at Fig. 8 are in parallel. In claim 4, the circumferential area of 4 or 41 is larger than the area at its ends, by definition, since it is a cylinder. For claim 8, Fig. 8 meets the claim where 41 is longer across the figure than it is thick.

3. Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Abe et al. Abe discloses the claimed invention at Fig. 2 where resistors 2a-3a are parallel connected thermistors embedded in the substrate 5 with metallization 8 on major surfaces thereof, meeting claim 6. For claims 3-5 and 8, the major surfaces are the top and bottoms of the device as seen at Fig. 2. For claim 7, the ends where terminals 8 are primarily located are the major surfaces. In claim 2, the glass substrate is lead boro-silicate, where silicate is deemed to meet the element of "comprises a ceramic substrate" since the substrate comprises in part, silicate, a ceramic.

Art Unit: 2832

4. Applicant's arguments filed 7/01/03 have been fully considered but are not persuasive. Applicant argues that the invention uses thermistors for temperature compensation of a circuit. This is intended use, not a positive limitation of the claim. Further, Grueter and Abe do disclose temperature compensation, because circuit protection is a form of temperature compensation. That is, when current increases, the devices compensate by limiting current in the circuit. Applicant admits Grueter discloses circuit protection. See Abe at col. 1 for a similar disclosure - thermistors used in circuits which have a lowered power loss.

5. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl Easthom whose telephone number is (703)308-3306. The examiner can normally be reached on M-Th. If attempts to reach the examiner by telephone are

Art Unit: 2832

unsuccessful, the examiner's supervisor, Elvin Enad, can be reached on (703)308-7619. The fax phone number for the organization where this application or proceeding is assigned is (703)308-7722. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.



KARL D. EASTHOM  
PRIMARY EXAMINER